

CAL-ROYAL

CS SERIES HANDLESETS GRADE 3

CAL-ROYAL

10 locks per case

These locks are discontinued. Call for closeout prices. Limited Supply.

Residential Duty

- ANSI A156.2, Grade 3.
- 10-year Mechanical Warranty.
- 5-year Finish Warranty.
- All Metal Body and Parts.
- Deadbolt Has Same Features as SD Series.
- Non Locking Lever/Knob Operates Latch From Inside.
- Thumbpiece Operates Handleset Latch From Outside.
- **Kwikset Keyway. Re-keyable for Construction Keying.**

SPECIFICATIONS

DOOR THICKNESS: 1-3/8" to 1-3/4"
BACKSET: Adjustable round corner 2-3/8" or 2-3/4"
STRIKE: Handle: Round corner full lip
 Deadbolt: 1" x 2-1/4" round corner
BORE: Two holes: 2-1/8" x 1"
SPACING: From Handle hole to bottom mounting screw: 8-3/16.
ROSE: 2-5/8" on inside lever/knob
KEYWAY: Kwikset 1063P (KW1). Keyed Different
FINISHES:
US3(605) Bright Brass
US5(609) Antique Brass
US15A(620) Antique Nickel
US26(625) Bright Chrome
US26D(626) Satin Chrome

Function No.

CS-00 Locking Handle
CS-40 Dummy Handle

Interior Designs:


BRV Bravo 3, 5, 15A, 26, 26D
ELI Elite 3, 5, 26D
HAR Hartford 3
MIL Millennium 3, 15A, 26D
PRE Premier 3, 5, 15A, 26, 26D
RIZ Ritz 3, 5
SIG Signature 3, 5, 26D

Finishes:


•See below for designs.

To Order, Specify:


Function: **CS-00** Handleset with
 Interior Design: **/BRV** Bravo Knob
 Finish: **US3** Bright Brass
 Latch: **RCAL** Adjustable R.C.
 • All locks are stocked Keyed Different (KD)




BRAVO(BRV)
US-3, 5, 15A, 26, 26D



HARTFORD(HAR)
US-3




ELITE(ELI)
US-3,5, 26D




RITZ(RIZ)
US-3, 5


Cal Royal has announced a rolling design change on Ritz non keyed functions.



SIGNATURE(SIG)
US-3, 5, 26D



PREMIER(PRE)
US-3, 5, 15A, 26, 26D



MILLENNIUM(MIL)
US-3, 15A, 26D

©ZIPF LOCK COMPANY

DEXTER


J SERIES DEADBOLT

DEXTER
by SCHLAGE

24 Locks per case

For Residential Use

- ANSI A156.5, 1992, Grade 3.
- Residential 25-year Mechanical Warranty.
- Residential 5-year Finish Warranty.
- Rekeyable to Schlage Locks.
- Easy To Install.



Function	No.	Operation	ANSI
SINGLE CYLINDER	JD60	Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.	E2153
DOUBLE CYLINDER	JD62	Deadbolt thrown or retracted by key from either side. Bolt automatically deadlocks when fully thrown.	E2143

To Order, Specify:

Function: **JD60** *Single Cylinder*
 Finish: **605** *Bright Brass*
 Latch: **AL** *Adjustable Latch*

SPECIFICATIONS

DOOR THICKNESS: 1-3/8" to 1-3/4"
BACKSET: AL-Adjustable for 2-3/8" or 2-3/4" with square and round corner face plates (16-048).
STRIKE: Square corner strike (1-1/8" x 2-3/4").
BORE: 2-1/8" x 1"
KEY BLANK: J750-000
KEYWAY: Schlage C Keyway, 5-pin
FINISHES:
605(US-3) Bright Brass
609(US-5) Antique Brass
619 (US-15) Satin Nickel
620 (US-15A) Antique Pewter
625 (US-26) Bright Chrome
630(US-32D) Satin Stainless Steel
716 New Aged Bronze




J SERIES HANDLESET

4 Locks per case

For Residential Use

- ANSI A156.2, 1996, 4000 Series, Grade 3.
- Residential 25-year Mechanical Warranty.
- Residential 5-year Finish Warranty.
- Rekeyable to Schlage Locks.
- Easy To Install.



BARCELONA (BAR)

PARIS (PRS)

Center of handle hole to mounting screw: 8-5/8"

DOOR THICK.: 1-5/8" to 1-3/4"
BACKSET: AL-Adjustable for 2-3/8" or 2-3/4" with square and round corner face plates.
STRIKE: Square corner strike (1-1/8" x 2-3/4") for deadbolt. 1/4" Radius full lip for bottom latch. 2-1/8" x 1"
BORE: 2-1/8" x 1"
KEY BLANK: J750-000
KEYWAY: Schlage C Keyway, 5-pin
FINISHES:
605(US-3) Bright Brass
609(US-5) Antique Brass
619 (US-15) Satin Nickel
620 (US-15A) Antique Pewter
625 (US-26) Bright Chrome
630(US-32D) Satin Stainless Steel
716 New Aged Bronze

Interior Packs

JH59 For Locking Handles

Interior Pack Designs

BRY 605,609,630
CNA 605,609,619,620,625,630
DOV 605,609,630
LAS 605,609,619,620,625,630,716
MAR 605,609,619,620,625,630
STR 605,619,716
TOR 605,609,619,620,625,630,716

To Order, Specify:

For handle-(exterior only)
 Handle No.: **JH58 PRS**
 Finish: **619**

For interior pack-(Listed above)
 Interior No.: **JH59**
 Design: **LAS**
 Finish: **619**
 *Handing: **LH**
 *Required on LAS lever design.

Function	Description
JH58	Locking Handle Exterior
JH59	Locking Handle Interior
JH193	Dummy Handleset w/interior*

*BAR exterior; BRY, CNA, LAS or STR interiors only.

©ZIPF LOCK COMPANY

KWIKSET

800 SERIES SOLID BRASS ENTRANCE HANDLESETS


- Forged Solid Brass.
- ANSI A156.5 Grade 1 Deadbolt.
- Extra Large Interior Turnpiece for Easier Locking and Unlocking.
- Compatible with Kwikset's 5-Pin Keying Systems.
- Maximum Security, Heavy Gauge Deadbolt Strike with Extra Long 3" Screws.
- 6-Pin, Front Removable Cylinder.
- Lifetime Mechanical Warranty.
- 10-year Finish Warranty.
- Lifetime Finish Warranty on **LO3** Finish.



Distance from center of handle hole to bottom mounting screw:

- Amherst: 8-13/32"
- Arlington: 11"
- Chelsea: 9-11/16"
- Hawthorne: 8-13/32"
- Shelburne: 8-13/32"
- Sheridan: 11"
- Wellington: 8-13/32"

6 locks per case.



To Order, Specify:

For handle-(exterior only)

- Handle No.: **800AN** *Arlington*
 Finish: **US-15** *Satin Nickel*
 LessInt.Pack **LIP** *Less Interior Pack*
 Latch: **RCAL** *Round Corner Adjustable*

FUNCTIONS:
 Locking Handle
 Dummy Handle


AMHERST
800AT
802AT

ARLINGTON
800AN
802AN

US-LO3, 5, 11P,
15, 15A, 26, 26D

US-LO3, 3, 5,
11P, 15, 15A, 26

Old Number	New Number
840	802WN
841	800WN
855	802HE
858	800HE
877	802AT
878	800AT
881	802SE
884	800SE



FUNCTIONS:
 Locking Handle
 Dummy Handle

CHELSEA
800CE
802CE

US-LO3, 3, 5, 11P,
15, 15A, 26, 26D

HAWTHORNE
800HE
802HE

US-LO3, 5, 11P,
15, 15A, 26

SHELburne
800SE
802SE

US-LO3, 5, 11P,
15, 15A, 26, 26D

SHERIDAN
800SN
802SN

US-LO3, 3, 5, 11P,
15, 15A, 26, 26D

WELLINGTON
800WN
802WN

US-LO3, 5, 11P,
15, 15A, 26, 26D

See next page for interior designs available for 800 Series handlesets.

HANDLE PACK CONTAINS: Handle, keys, latches, strikes, outside deadbolt, screw pack.
INTERIOR PACK CONTAINS: 1 knob or lever, 1 thumbturn for deadlock, screw pack.

159^{v1}
(PL-8)

KWIKSET

800 SERIES ENTRANCE HANDLESETS INTERIORS


- Lifetime Mechanical warranty
- 10-year Finish warranty

Kwikset
UltraMax
Signatures


6 interiors per case.

NEW ROSE-At the time of this printing Kwikset was changing the BRL & CHL to a more decorative rose.

ULTRAMAX SIGNATURES INTERIOR DESIGNS (SOLD SEPARATELY FROM HANDLES)




CIRCA (CA)
US-3, 5, 10B, 11P,
15, 15A, 26, 26D




HANCOCK (H)
US-3, 5, 10B, 11P,
15, 15A, 26, 26D




PEMBROKE (PML)
US-3, 5, 10B, 15,
15A, 26, 26D




ABBEY (A)
US-3, 5, 26D



LAUREL (L)
US-3, 5, 10B, 11P, 15, 15A, 26



COMMONWEALTH (CHL)
US-3, 5, 10B, 11P, 15, 15A, 26, 26D



BROOKLANE (BRL)
US-3, 5, 10B, 11P, 15, 15A, 26, 26D

Interior Packs

- 966** For Locking (562)
968 For Dummy (568)

To Order, Specify:

For interior pack- (shown below)

Interior No.: **966**

Design: **BRL**


Finish: **US-15**

Handing: **LH***

*Required on lever designs BRL, CHL, LL, SNL (LH or RH) . SEE BELOW FOR HOW TO DETERMINE HANDING.

KWIKSET MAXIMUM INTERIOR DESIGNS FOR USE WITH ULTRAMAX HANDLESETS (SOLD SEPARATELY FROM ULTRAMAX HANDLES)


- Lifetime Mechanical warranty
- 5-year Finish warranty



DELTA (DL)
US-3, 5, 15A, 26, 26D



DORIAN (DNL)
US-3, 5, 11P, 15, 15A, 26, 26D



LIDO (LL)
US-3, 5, 15, 15A, 26, 26D
(Specify Hand)

SAXTON-Limited Supply
Discontinued by Factory
Replaced by TNL at right



SAXTON (SNL)
US-3, 5, 15A, 26, 26D
(Specify Hand)

Kwikset
Maximum
SECURITY




TUSTIN (TNL)
US-3, 5, 11P, 15, 15A,
26, 26D
(Specify Hand)

SPECIFICATIONS

DOOR THICKNESS:	1-3/4"
BACKSET:	Adjustable Round Corner (RCAL)
BORE:	2-1/8" x 1"
	2-1/8" or 1-1/2" x 1" (Deadbolt)
SPACING:	5-1/2" center to center. For handle hole to bottom mounting screw see previous page.
DEADBOLT:	980, 1" throw
CYLINDER:	6-Pin
KEY BLANK:	KW-81208 (KW-88260)
FINISHES:	US-LO3 (605E) Polished Brass-Lifetime
	US-3 (605) Polished Brass
	US-5 (609) Antique Brass
	US-10B (613) Oil Rubbed Bronze
	US-11P Venetian Bronze
	US-15(619) Satin Nickel
	US-15A (620) Antique Nickel
	US-26 (625) Polished Chrome
	US-26D (626) Satin Chrome

HOW TO DETERMINE THE HANDING OF A DOOR:

- The hand of a door is always determined by facing the OUTSIDE of a door.
- If the hinge is on the left side of the door, the door is left handed (LH).
- If the hinge is on the right side of the door, the door is right handed (RH).




See previous page for 800 Series handle set exteriors.

KWIKSET

500 SERIES SOLID BRASS HANDLESETS

- ANSI A156.2 Grade 2 for Gibson Handleset. A156.5 Grade 2 for Deadbolt.
- ANSI A156.5 Grade 2 for Sonoma Deadbolt.
- Lifetime Mechanical Warranty.
- 5-year Finish Warranty.



Locking
Dummy

SONOMA
510SO
512SO

GIBSON
553GN
555GN

US-LO3, 3, 5, 15, 15A, 26, 26D US-LO3, 3, 5, 15

6 locks per case.

Interior Packs

For: **Sonoma Gibson**
Locking **471 986**
Dummy **473 989**

To Order, Specify:

For handle-(exterior only)

Handle No.: **553GN** Gibson
Finish: **US-3** Polished Brass
LessInt.Pack **LIP** Less Interior Pack
Latch: **RCAL** Round Corner adj.


For interior pack-

Interior No.: **986**
Design: **LL** Lido Lever
Finish: **US-3** Polished Brass
Handing: **LH*** Left Hand

*Required on lever designs
LL & SNL (LH or RH)

•ALL HANDLES ARE SOLD LESS INTERIOR PACK (YOU MUST ORDER SEPARATELY)•


INTERIOR DESIGNS (SOLD SEPARATELY FROM HANDLES)




BELAIR (B)
US-3, 5



CAMERON (CN)
US-3, 5, 11P, 15, 15A, 26




COPA (C)
US-3, 5, 15A, 26, 26D




DELTA (DL)
US-3, 5, 15A, 26, 26D



DORIAN (DNL)
US-3, 5, 15, 15A, 26, 26D



LIDO (LL)
US-3, 5, 15, 15A, 26, 26D
(Specify Hand)



POLO (P)
US-3, 5, 15, 15A, 26, 26D




SAXTON (SNL)
US-3, 5, 15, 15A, 26, 26D
(Specify Hand)


SAXTON-Limited Supply
Discontinued by Factory
Replaced by TNL at right



TUSTIN (TNL)
US-3, 5, 11P, 15, 15A, 26, 26D
(Specify Hand)



VALIANT (V)
US-3, 15




TYLO (T)
US-3, 5, 26, 26D

SPECIFICATIONS

DOOR THICKNESS: 1-3/4"
BACKSET: Adjustable Round Corner (RCAL)
BORE: 2-1/8" x 1"
2-1/8" or 1-1/2" x 1" (Deadbolt)
SPACING: 5-1/2" center to center
9-11/16" from handle hole to
bottom mounting screw.
DEADBOLT: 1" throw
CYLINDER: 5-Pin
KEY BLANK: KW-81063
FINISHES: **US-LO3** (605E) Polished Brass-Lifetime
US-3 (605) Polished Brass
US-5 (609) Antique Brass
US-11P Venetian Bronze
US-15 (619) Satin Nickel
US-15A (620) Antique Nickel
US-26 (625) Polished Chrome
US-26D (626) Satin Chrome

HOW TO DETERMINE THE HANDING OF A DOOR:

- The hand of a door is always determined by facing the **OUTSIDE** of a door.
- If the hinge is on the left side of the door, the door is left handed (LH).
- If the hinge is on the right side of the door, the door is right handed (RH).



©ZIPF LOCK COMPANY

HANDLE PACK CONTAINS: Handle, keys, latches, strikes, outside deadbolt
INTERIOR PACK CONTAINS: 1 knob or lever, 1 thumbturn for deadlock, inside sex bolt for handle bottom.

161_{v1}
(PL-8)

KWIKSET

6 locks per case.

600 SERIES STANDARD DUTY HANDLESETS

- Limited Lifetime Mechanical Warranty.
- 5-year Finish Warranty.

Kwikset Security



DAKOTA
687DA
699DA

3, 5, 11P, 15, 15A, 26D



FARMINGTON
687FN
699FN

5, 15A

FUNCTION
Locking
Dummy

Interior Packs

- 604 For Locking
- 606 For Dummy

To Order, Specify:

For handle-(exterior only)

Handle No.: **687DA**
Finish: **US-3**
LessInt.Pack **LIP**
Latch: **RCAL**


For interior pack-

Interior No.: **604**
Design: **LL**
Finish: **US-3**
Handing: **LH***


*Required on lever designs
LL & SNL (LH or RH)

•ALL HANDLES ARE SOLD LESS INTERIOR PACK (YOU MUST ORDER SEPARATELY)•

INTERIOR DESIGNS (SOLD SEPARATELY FROM HANDLES)



BELAIR (B)
US-3, 5




COPA (C)
US-3, 5, 15A, 26, 26D



DELTA (DL)
US-3, 5, 15A, 26, 26D




DORIAN (DNL)
US-3, 5, 11P, 15,
15A, 26, 26D



ECLIPSE (E)
US-3



LIDO (LL)
US-3, 5, 15, 15A, 26, 26D
(Specify Hand)



POLO (P)
US-3, 5, 11P, 15, 15A, 26, 26D



SAXTON (SNL)
US-3, 5, 15, 26, 26D
(Specify Hand)


SAXTON-Limited Supply
Discontinued by Factory
Replaced by TNL at right



TUSTIN (TNL)
US-3, 5, 11P, 15, 15A, 26, 26D
(Specify Hand)



VALIANT (V)
US-3




TYLO (T)
US-3, 5, 26, 26D

SPECIFICATIONS

DOOR THICKNESS: 1-3/4"
BACKSET: Adjustable Round Corner (RCAL)
2-1/8" x 1" (Deadbolt 2-1/8" or 1-1/2")
BORE: 5-1/2" center to center.
SPACING: 8-13/32" from handle hole to bottom mounting screw.
DEADBOLT: 1" throw
CYLINDER: 5-Pin
KEY BLANK: KW-81063
FINISHES:
US-3 (605) Polished Brass
US-5 (609) Antique Brass
US-11P Venetian Bronze
US-15 (619) Satin Nickel
US-15A (620) Antique Nickel
US-26 (625) Polished Chrome
US-26D (626) Satin Chrome

HOW TO DETERMINE THE HANDING OF A DOOR:

- The hand of a door is always determined by facing the OUTSIDE of a door.
- If the hinge is on the left side of the door, the door is left handed (LH).
- If the hinge is on the right side of the door, the door is right handed (RH).



©ZIPF LOCK COMPANY

162 v1
(PL-8)

HANDLE PACK CONTAINS: Handle, keys, latches, strikes, outside deadbolt/rose.
INTERIOR PACK CONTAINS: 1 knob or lever, 1 thumbturn for deadlock, deadlock screws.

SCHLAGE

FA SERIES

ACCENTS™
Timeless Beauty

4 locks per case



For Standard Duty Residential

- ANSI A156.5, 2001, Grade 2 auxiliary lock.
- Residential Lifetime Mechanical Warranty.
- Residential Lifetime Finish Warranty.
- Door frame strike reinforcer with 3" screws.
- 7/8" wrought brass, reinforced trim ring with security inserts.

Interior Packs

- FA359** For Locking Handles
- FA394** For Dummy Handles

Interior Pack Designs

- Andover (**AND**)
- Callington (**CLT**)
- Champagne (**CHP**)
- Danbury (**DNB**)
- St Annes (**STA**)

To Order, Specify:

For handle-(exterior only)

Handle No.: **FA358 VEN**
Finish: **619**

For interior pack-(designs shown below)

Interior No.: **FA359**

Design: **CHP**

*Escutcheon: **/VEN**

Finish: **619**

Handing: **LH

*Specify Escutcheon design when ordering one piece interiors.

**Required on levers.

Also Chantilly		Also Kent		Also Ashcroft		
FLORENCE FA358 FLO FA392 FLO	MONTICELLO FA358 MNT FA392 MNT	MONACO FA358 MON FA392 MON	SUTTON FA358 STN FA392 STN	VENICE FA358 VEN FA392 VEN	WAKEFIELD FA358 WKF FA392 WKF	FUNCTION Locking Handle Dummy Handle
505,605,609,613,619 620,625,626,716	505,605,609,613,619 620,625,626	505,605,609,613,619 620,625,626,716	505,605,609,613,619 620,625,626	505,605,609,613,619 620,625,626,716	505,605,609,613,619 620,625,626,716	

•ALL HANDLES ARE SOLD LESS INTERIOR PACK (YOU MUST ORDER SEPARATELY)•

SPECIFICATIONS

- DOOR THICK.:** 1-5/8" to 2"
BACKSET: 3AL-Adjustable latch for 2-3/8", 2-3/4" with Square Face/Round Face/Drive-in. RCS & SCS strike for bottom latch.
STRIKE: Deadlock has square corner strike.
BORE: 1-1/2" or 2-1/8" for deadlock. 2-1/8" for handle.
SPACING: 5-1/2 center to center
DEADBOLT: BA360, 1" throw.
KEY BLANK: 35-025-C 5-pin Accents Bow
KEYWAY: C Standard, 5-pin
FINISHES:
505 ULTIMA™, Bright Brass
605 (US-3) Bright Brass, clear coated
609 (US-5) Antique Brass, clear coated
613 (US-10B) Oil Rubbed Bronze*
619 (US-15) Satin Nickel Plated
620 (US-15A) Antique Pewter
625 (US-26) Bright Chrome
626 (US-26D) Satin Chrome
716 New Aged Bronze

*613 is a living finish and will wear and change appearance over time.


Adjustable Through-posts



All Accents Handles include an adjustable through-bolt post for easier installation and effortless capability. The post simply adjust up and down to better align with the lower mounting hole. This feature allows retrofit of over 70% of competitors' handlesets.


INTERIOR DESIGNS

(Specify if using with F359 inside trims)



STANDARD

ONE PIECE ESCUTCHEONS



©ZIPF LOCK COMPANY

184 v1
(PL-10)

HANDLE PACK CONTAINS: Handle, deadbolt cylinder, screw for handle bottom and 4 keys.

INTERIOR PACK CONTAINS: 1 knob/lever, 1 thumbturn for deadlock, strikes, cover trim and 2 latches.

SCHLAGE

4 locks per case

F SERIES



For Standard Duty Residential Entrance Doors

- ANSI A156.5, 2001, Grade 2. Auxiliary Lock.
- Residential Lifetime Mechanical Warranty.
- Residential 10-year Finish Warranty (605/609/626).
- Residential 505-Ultima™ Lifetime Finish.
- Residential Artisan Lifetime Finish(613/619/620/625)
- Solid Forged Brass Grip Handle.



Interior Packs

F359 For Locking Handles

F394 For Dummy Handles

Interior Pack Designs

Accent (**ACC**)

Avanti (**AVA**)

Elan (**ELA**)

Flair (**FLA**)

Georgian (**GEO**)

Jazz (**JAZ**)

Orbit (**ORB**)

Plymouth (**PLY**)

Siena (**SIE**)

To Order, Specify:

For handle-(*exterior only*)

Handle No.: **F358 PLY**

Finish: **619**

For interior pack-(*shown below*)


Interior No.: **F359**

Design: **ACC**

Finish: **619**

*Handing: **LH**

*Required on lever designs
ACC, AVA & FLA (LH or RH)



ADDISON

F358 ADD

F392 ADD

505, 605, 609, 613
619, 620, 716

BOWMAN

F358 BOW

F392 BOW

505, 605, 609

CAMELOT

F358 CAM

F392 CAM

505, 605, 609, 613
619, 620, 625, 716

CENTURY

F358 CEN

F392 CEN

505, 605, 625,
626

PARTHENON

F358 PAR

F392 PAR

609

PLYMOUTH

F358 PLY

F392 PLY

505, 605, 609, 613
619, 620, 625, 626, 716

FUNCTION

Locking Handle

Dummy Handle

•ALL HANDLES ARE SOLD LESS INTERIOR PACK (YOU MUST ORDER SEPARATELY)•

SPECIFICATIONS

DOOR THICK.: 1-5/8" to 2"
BACKSET: 3AL-Adjustable latch for 2-3/8", 2-3/4" with Square Face/Round Face/Drive-in.
STRIKE: RCS & SCS strike for bottom latch. Deadlock has square corner strike.
BORE: 1-1/2" or 2-1/8" for deadlock. 2-1/8" for handle.
SPACING: 4" center to center recommended.
DEADBOLT: B360, 1" throw.
KEY BLANK: 35-100-C 5-pin
KEYWAY: C Standard, 5-pin
FINISHES:
505 Bright Brass, ULTIMA™-Lifetime
605 (US-3) Bright Brass, clear coated
609 (US-5) Antique Brass, clear coated
613 (US-10B) Oil Rubbed Bronze-Artisan Lifetime
619 (US-15) Satin Nickel Plated-Artisan Lifetime
620 (US-15A) Antique Pewter-Artisan Lifetime
625 (US-26) Bright Chrome-Artisan Lifetime
626 (US-26D) Satin Chrome
716 New Aged Bronze

*613 is a living finish and will wear and change appearance overtime

Distance from center of handle hole to bottom mounting screw:

Addison:	8-3/8" to 9-7/8"	Bowman:	7-3/4"
Camelot:	9-11/16"	Century:	9"
Parthenon:	8-1/2"	Plymouth:	9-7/16"

INTERIOR DESIGNS




AVANTI (AVA)

605, 609, 613,
619, 620, 625, 716




ELAN (ELA)

605, 626



ACCENT (ACC)

605, 609, 613,
619, 620, 625, 716




FLAIR (FLA)

605, 609, 613, 619, 620,
625, 626, 716



GEORGIAN (GEO)

605, 609, 619,
620, 625, 716




ORBIT (ORB)

605, 609, 613, 619,
620, 625, 626




PLYMOUTH (PLY)

605, 613, 619,
620, 625, 626, 716



JAZZ (JAZ)

605, 619



SIENA (SIE)

605, 609, 613, 619, 620, 625, 716

©ZIPF LOCK COMPANY

HANDLE PACK CONTAINS: Handle, deadbolt cylinder, screw for handle bottom and trim.

INTERIOR PACK CONTAINS: 1 knob/lever, 1 thumbturn for deadlock, strikes, cover trim and 2 latches.

185_{v1}
(PL-10)

WEISER


CS SERIES COMBO LOCKSET

Simultaneous Retracts Both Latches

- ANSI A156.12.
- Turning inside knob retracts both deadbolt and lower latch simultaneously.
- 1" projection deadbolt latch with 1/4" diameter hardened steel free-turning roller.
- Outside and inside knob always free.
- Residential Lifetime Mechanical warranty.

SPECIFICATIONS

DOOR THICKNESS: 1-1/2" to 1-3/4"
BACKSET: Adjustable 2-3/8" to 2-3/4"
BORE: 1-1/2" x 1" for deadlock
 2-1/8" x 1" for knoblock
SPACING: 4" center to center
FINISHES: **US-3** Bright Brass
US-5 Antique Brass, oxidized, hand relieved and Highlighted




BEVERLY(B)
US-3

*26D finish available by special order.
 Special keying is also available.*



Discontinued. Call for closeout prices.

6 Locks per case.



INSIDE

OUTSIDE

Stock No. **CS1170** **Operation**
 Entrance Lock with Passage Trim

HOW TO ORDER: Specify,

Function: **CS1170** Single Cylinder
Design: **B** Beverly
Finish: **US-3** Bright Brass
Latch: **AL** Adjustable

ELEMENTS SERIES HANDLESETS

Single Cylinder Handlesets

- Residential ANSI A156.2, Grade 3.
- Residential 25-Year Mechanical warranty.
- Residential 10-Year Finish warranty


SPECIFICATIONS

DOOR THICKNESS: 1-3/8" to 1-3/4"
BACKSET: Adjustable 2-3/8" to 2-3/4"
BORE: 2-1/8" x 1"
SPACING: 5-1/2" center to center recommended
BOLT THROW: 1"
FINISHES: **US-3** Bright Brass
US-15 Satin Nickel



elements SERIES™

4 locks per case.



RICHMOND (R)

YORK (Y)

MONTEREY (M)
 (Specify Hand LH - RH)

Stock No.	Inside Design	Finish
AC9470P R 3 6AL	Richmond	Bright Brass
AC9470P Y 3 6AL	York	Bright Brass
AC9470P Y 15 6AL	York	Satin Nickel
*LC9470P M 3 6AL	Monterey	Bright Brass
*LC9470P M 15 6AL	Monterey	Satin Nickel

***Specify Handing:** LH or RH
 Locks come with Round corner strikes (RCS)

©ZIPF LOCK COMPANY

WEISER

WELCOME HOME HANDLESETS



4 locks per case.






Single Cylinder Handlesets for Knobs

- ANSI A156.5, Grade 2 on wooden frames.
- 1" projection deadbolt latch with 1/4" diameter hardened steel free-turning roller.
- Residential Lifetime Mechanical warranty.
- Residential Lifetime Finish warranty.

Welcome Home SERIES®

Distance from center of handle hole to bottom mounting screw:

Augusta: 9-11/16"
 Columbia: 8-5/16"
 High Point: 7-5/16"
 Modern: 9-1/16"



Discontinued.
Call for close-out prices

FUNCTION
 Locking Handle
 Dummy Handle
 Double Cylinder

AUGUSTA
A9770A
 *A70A
****A9370A P 12**
 US-3, 5, 11P, 12, 15

COLUMBIA
A9770C
A77C
 US-3, 11P, 12

HIGH POINT
A9770H
A77H
 US-3, 5, 11P

MODERN
A9770M
 US-3, 5

*NOTE: A70A can use both A & LA dummy interiors.


**Only stock A9370A P 12 6AL (Complete handleset only)

•ALL HANDLES ARE SOLD LESS INTERIOR PACK (YOU MUST ORDER SEPARATELY)•

TO ORDER: Specify Handle Number, Design, Finish AND Interior Number, Design and finish

NOTE: Not all dummy interiors are available in all finishes listed.

INTERIOR DESIGNS (SOLD SEPARATELY FROM HANDLES)




INT FUNCTION
 For Locking Handle
 For Dummy Handle


BEVERLY
A9675B AL
A96B
 US-3, 5, 26D



HUNTINGTON
A9675H AL
A96H
 US-3, 5, 26, 26D
 (5, 26, 26D Discontinued)



PHOENIX
A9675P AL
A96P
 US-3, 5, 11P, 12, 15



TROY
A9675T AL
A96T
 US-3, 5, 11P, 15, 26D

HANDLESET SPECIFICATIONS

DOOR THICKNESS: 1-3/4" to 2-1/4" for single cylinder.
 1-3/4" to 2" for double cylinder.
BACKSET: Adjustable 2-3/8" to 2-3/4"
BORE: 1-1/2" x 1" for deadlock, 2-1/8" acceptable if Grade 2 not required.
 2-1/8" x 1" for handle
SPACING: 5-1/2" center to center recommended
BOLT THROW: 1"
STRIKE: A5101-AH, 10046

FINISHES: **US-3^B** Bright Brass
US-5 Antique Brass, oxidized, hand relieved and highlighted
US-11P Venetian Bronze™
US-12 Tuscan Copper™
US-15 Satin Nickel
US-26^B Bright Chrome
US-26D Satin Chrome

®Brilliance Finish is standard on exterior side of locks.

WEISER

WELCOME HOME HANDLESETS

Single Cylinder Handlesets for Levers

- ANSI A156.5, Grade 2 on wooden frames.
- 1" projection deadbolt latch with 1/4" diameter hardened steel free-turning roller.
- Residential Lifetime Mechanical warranty.
- Residential Lifetime Finish warranty.



4 locks per case.

Welcome Home SERIES®



Distance from center of handle hole to bottom mounting screw:

- Augusta: 9-11/16"
- Columbia: 8-5/16"
- High Point: 7-5/16"
- Modern: 9-1/16"




AUGUSTA
LA9770A
*A70A

US-3, 5, 11P, 12, 15





COLUMBIA
LA9770C
LA77C

US-3, 11P, 12



HIGH POINT
LA9770H
LA77H

US-3, 5, 11P



MODERN
LA9770M

US-3, 5

Discontinued.
Call for close-out prices


*NOTE: A70A can use both A & LA dummy

•ALL HANDLES ARE SOLD LESS INTERIOR PACK (YOU MUST ORDER SEPARATELY)•

TO ORDER: Specify Handle Number, Design, Finish AND Interior Number, Design and finish

NOTE: Not all dummy interiors are available in all finishes listed.

INTERIOR DESIGNS (SOLD SEPARATELY FROM HANDLES)



INT FUNCTION
For Locking Handle
For Dummy Handle

ASPEN
LA9675A AL
LA96A


US-3, 11P, 12, 15



Specify
Handing

CORSAIR
LA9675C AL
LA96C

US-3, 5, 15



GALIANO
LA9675G AL

US-3



Specify
Handing

VALENCIA
LA9675V AL
LA96V

US-3, 5, 15
(US-5 Discontinued)

HANDLESET SPECIFICATIONS

DOOR THICKNESS: 1-3/4" to 2-1/4"
BACKSET: Adjustable 2-3/8" to 2-3/4"
BORE: 1-1/2" x 1" for deadlock, 2-1/8" acceptable if Grade 2 not required.
2-1/8" x 1" for handle
SPACING: 5-1/2" center to center recommended
BOLT THROW: 1"
STRIKE: A5101-AH, 10046

FINISHES: **US-3^B** Bright Brass
US-5 Antique Brass, oxidized, hand relieved and highlighted
US-11P Venetian Bronze™
US-12 Tuscan Copper™
US-15 Satin Nickel
US-26^B Bright Chrome
US-26D Satin Chrome

^BBrilliance Finish is standard on exterior side of locks.

©ZIPF LOCK COMPANY

HANDLE PACK CONTAINS: Handle, cylinder, rosette, keys and sex bolt.
INTERIOR PACK CONTAINS: 1 knob, 1 thumbturn for deadlock, latches and strikes.

235 v1
(PL-14)