


MODERNIZATION KITS

WRAP-AROUND PLATES

DON-JO

CLASSIC WRAP-AROUNDS


- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •



▪ **FOR CYLINDRICAL DOOR LOCKS WITH 2-1/8" HOLE. (Strike not included)**


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-1	AB, PB, S	2-3/8"	1-3/8"	4" x 9"
DJ-CW-2	AB, PB, S	2-3/8"	1-3/4"	4" x 9"
DJ-CW-3	AB, PB, S	2-3/4"	1-3/8"	4-1/4" x 9"
DJ-CW-4	AB, BZ, PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 9"

AB Antique Brass
BZ Satin Bronze
PB Polished Brass
S Stainless Steel
10B Oil Rubbed Bronze




▪ **FOR DEADBOLT LOCKS WITH 1-1/2" HOLE (Strike not included)**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-5	AB, PB, S	2-3/8"	1-3/8"	4" x 4-1/2"
DJ-CW-6	AB, PB, S	2-3/8"	1-3/4"	4" x 4-1/2"
DJ-CW-7	AB, PB, S	2-3/4"	1-3/8"	4-1/4" x 4-1/2"
DJ-CW-8	AB, BZ, PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 4-1/2"




▪ **FOR CYLINDRICAL DOOR LOCKS WITH 2-1/8" HOLE (Strike not included)**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-51	AB, PB, S	2-3/8"	1-3/8"	4" x 4-1/2"
DJ-CW-61	AB, PB, S	2-3/8"	1-3/4"	4" x 4-1/2"
DJ-CW-71	AB, PB, S	2-3/4"	1-3/8"	4-1/4" x 4-1/2"
DJ-CW-81	AB, BZ, PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 4-1/2"




▪ **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included) with 1-1/2" hole on top and 2-1/8" hole on bottom with 4" centers**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-154	AB, PB, S	2-3/8"	1-3/8"	4" x 9"
DJ-CW-264	AB, PB, S	2-3/8"	1-3/4"	4" x 9"
DJ-CW-484	AB, PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 9"



▪ **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included) with 2-1/8" holes with 3-5/8" centers**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-151	AB, PB, S	2-3/8"	1-3/8"	4" x 9"
DJ-CW-261	AB, PB, S	2-3/8"	1-3/4"	4" x 9"
DJ-CW-481	AB, PB, S	2-3/4"	1-3/4"	4-1/4" x 9"



▪ **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included) with 2-1/8" holes with 4" centers**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-942	AB, PB, S	2-3/8"	1-3/4"	4" x 9"
DJ-CW-943	AB, BZ, PB, S, 10B	2-3/4"	1-3/4"	4-1/4" x 9"

©ZIPF LOCK COMPANY

NOTE-Security Strikes are recommended with these products. See pages 511-513.

451^{v1}
 (PL-43)


MODERNIZATION KITS

DON-JO

WRAP-AROUND PLATES

CLASSIC WRAP-AROUNDS

- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •




- **FOR DOUBLE LOCK COMBINATION LOCKSETS (Strike not included)**
with 1-1/2" hole on top and 2-1/8" hole on bottom with 6" centers

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-486	PB, S	2-3/4"	1-3/4"	4-1/2" x 12"

- with 2-1/8" hole on top and 2-1/8" hole on bottom with 6" centers


<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-946	PB, S	2-3/4"	1-3/4"	4-1/2" x 12"




- **BLANK WRAP-AROUND WITH TRIM SCREWS**

<u>Stock No.</u>	<u>Finish</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-30	AB, PB, S	1-3/8"	4-1/2" x 9"
DJ-CW-40	AB, PB, S	1-3/4"	4-1/2" x 9"
DJ-CW-70	AB, PB, S	1-3/8"	4-1/4" x 4-1/2"
DJ-CW-80	AB, PB, S	1-3/4"	4-1/4" x 4-1/2"
DJ-CW-90	PB, S	1-3/4"	5" x 12"

AB Antique Brass
BZ Satin Bronze
PB Polished Brass
S Stainless Steel
10B Oil Rubbed Bronze




DJ-CW-20



DJ-CW-20B


- **20" WRAP-AROUND**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-20B	PB, S	—	1-3/4"	5" x 20"
DJ-CW-20	PB, S	2-3/4"	1-3/4"	5" x 20"



- **FOR INSTALLING BEST 93K LEVER LOCK, 73K LOCKSET, & SARGENT 6500 SERIES**
(Strike not included)

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-9K	S	2-3/4"	1-3/4"	4-3/4" x 9"



- **FOR HEAVY DUTY GRADE 1 & GRADE 2 KEY-IN-LEVER. (Strike not included)**

<u>Stock No.</u>	<u>Finish</u>	<u>Backset</u>	<u>Thickness</u>	<u>Size</u>
DJ-CW-4-2	BZ, PB, S	2-3/4"	1-3/4"	4-3/4" x 9"
DJ-CW-81-2	BZ, PB, S	2-3/4"	1-3/4"	4-3/4" x 4-1/2"

©ZIPF LOCK COMPANY


MODERNIZATION KITS

WRAP-AROUND PLATES

DON-JO

CLASSIC WRAP-AROUNDS


- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •



• **FOR SIMPLEX/UNICAN 1000 SERIES (Strike not included)**


Stock No.	Finish	Backset	Thickness	Size
DJ-CW-9	AB, PB, S	2-3/4"	1-3/4"	5" x 9"
DJ-CW-15	AB, PB, S	2-3/4"	1-3/4"	5" x 15"

AB Antique Brass
BZ Satin Bronze
PB Polished Brass
S Stainless Steel
10B Oil Rubbed Bronze




• **FOR ALARM LOCK DL-2700/T2 & 3000 SERIES TRILOGY LOCK (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-27	AB, PB, S	2-3/4"	1-3/4"	5" x 15"




• **FOR SCHLAGE COBRA LOCKS (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-17	S	2-3/4"	1-3/4"	5" x 12"
DJ-CW-18	S	2-3/4"	1-3/4"	5" x 12"



DJ-CW-14



DJ-CW-14-2

• **FOR CONVERSION OF SIMPLEX 1000 SERIES AND ALARM LOCK DL-2500, 2700/T2, & 3000 SERIES TO KEY-IN-KNOB LOCKS (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-14	AB, PB, S	2-3/4"	1-3/4"	5" x 14"
DJ-CW-14-2	AB, PB, S	2-3/4"	1-3/4"	5" x 14"



DJ-CW-504



DJ-CW-514

• **FOR MORTISE LOCK WRAP-AROUND PLATE FOR 86 CUT-OUT (Strike not included)**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-504	S	—	1-3/4"	5" x 12"
DJ-CW-514	S	2-3/4"	1-3/4"	5" x 12"

- 8" x 1-1/4" recess
- Drill spindle and thumb turn holes in field
- Rectangle size 1-5/8" x 7-5/16"

©ZIPF LOCK COMPANY

NOTE-Security Strikes are recommended with these products. See pages 511-513.

453 v1
 (PL-43)


MODERNIZATION KITS

WRAP-AROUND PLATES

DON-JO

CLASSIC WRAP-AROUNDS

- Built-in Stainless Steel Threaded Inserts • Improved Heavy Duty Trim Screws •
- Permanent Holding Power Eliminates Loosening of Latch Mounting Screws •



• **FOR LOCKS WITH EXTENDED OR CONVERTED BACKSETS**

Stock No.	Finish	Backset	Thickness	Size
DJ-CW-33	S	3-3/4"	1-3/4"	5-1/2" x 9"
DJ-CW-55	AB, PB, S	5"	1-3/4"	6-1/2" x 9"

- AB** Antique Brass
- BZ** Satin Bronze
- PB** Polished Brass
- S** Stainless Steel
- 10B** Oil Rubbed Bronze


NOTE-Security Strikes are recommended with these products. See pages 511-513.

REMODELER PLATES


For modernizing or decorating

DON-JO


- 605** Polished Brass
- 609** Antique Brass
- 630** Stainless Steel




DJ-RP13509
Finishes: 605, 609, 630.
Size: 3-1/2" x 9"



DJ-RP13515
Finishes: 605, 630.
Size: 3-1/2" x 15"



DJ-RP13545
Finishes: 605, 609, 630.
Size: 3-1/2" x 4-1/2"



DJ-RPK109
Finishes: 605, 630.
Kit contains: (2) RP-13509

MODERNIZATION KITS

- AB Antique Brass
- BN Satin Bronze
- PB Polished Brass
- S Stainless Steel

"INSTALL-A-LOCK"



- Latch Plate Is Secured Metal Into Metal, Not Metal Into Wood •
- Protects Leading Edge Of Door • Makes Door More Jimmy Proof •

• FOR DOOR LOCKS WITH 2-1/8" BORE.

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-1	AB, PB, S	2-3/8"	1-3/8"	4" x 9"
MAG-2	AB, PB, S	2-3/8"	1-3/4"	4" x 9"
MAG-3	AB, PB, S	2-3/4"	1-3/8"	4-1/4" x 9"
MAG-4	AB, BN, PB, S	2-3/4"	1-3/4"	4-1/4" x 9"

• FOR SCHLAGE RHODES, ARROW SIERRA, CORBIN RUSSWIN CL3400, YALE 5400LN.

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-4-S-2	S	2-3/4"	1-3/4"	4-3/4" x 9"

• FOR INSTALLING DEADBOLTS WITH 2-1/8" BORE.

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-51	AB, PB, S	2-3/8"	1-3/8"	4" x 4-1/2"
MAG-61	AB, PB, S	2-3/8"	1-3/4"	4" x 4-1/2"
MAG-71	PB, S	2-3/4"	1-3/8"	4-1/4" x 4-1/2"
MAG-81	AB, PB, S	2-3/4"	1-3/4"	4-1/4" x 4-1/2"

• FOR LOCK AND DEADBOLT 2-1/8" TOP AND BOTTOM BORES, 3-5/8" CENTERS.

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-151	PB, S	2-3/8"	1-3/8"	4" x 9"
MAG-481	PB, S	2-3/4"	1-3/4"	4-1/4" x 9"

• FOR LOCK AND DEADBOLT 1-1/2" HOLE ON TOP AND 2-1/8" ON BOTTOM WITH 4" CENTERS.

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-264	S	2-3/8"	1-3/4"	4" x 9"
MAG-484	AB, PB, S	2-3/4"	1-3/4"	4-1/4" x 9"

• BLANK CHANNELS WITH MOUNTING HOLES ONLY.

STOCK NO.	FINISH	BACKSET	THICKNESS	SIZE
MAG-30	PB, S	—	1-3/8"	4-1/4" x 9"
MAG-40	PB, S	—	1-3/4"	4-1/4" x 9"
MAG-70	PB, S	—	1-3/8"	4-1/4" x 4-1/2"
MAG-80	PB, S	—	1-3/4"	4-1/4" x 4-1/2"


SEE NEXT PAGE FOR MORE

MODERNIZATION KITS

- AB Antique Brass
- BN Satin Bronze
- PB Polished Brass
- S Stainless Steel

"INSTALL-A-LOCK"

- Latch Plate Is Secured Metal Into Metal, Not Metal Into Wood •
- Protects Leading Edge Of Door • Makes Door More Jimmy Proof •



- FOR SIMPLEX 1000 SERIES AND ALARM LOCK DL2500.

<u>STOCK NO.</u>	<u>FINISH</u>	<u>BACKSET</u>	<u>THICKNESS</u>	<u>SIZE</u>
MAG-1000-9	AB, S	2-3/4"	1-3/4"	5" x 9"
MAG-1000-14	S	2-3/4"	1-3/4"	5" x 14"



- FOR MORTISE LOCKS FACEPLATE 8" x 1-1/4" WITH THRU BOLTS.


<u>STOCK NO.</u>	<u>FINISH</u>	<u>BACKSET</u>	<u>THICKNESS</u>	<u>SIZE</u>
MAG-504	S	2-3/4"	1-3/4"	5" x 12"

2000 SERIES INSTALL-A-LOCK REINFORCER FLAT FACE DESIGN (VISUAL PACKED)




- Fits OVER all standard and drive-in latches.

- FOR INSTALLING CYLINDRICAL DOOR LOCKS WITH 2-1/8" BORE.



<u>STOCK NO.</u>	<u>FINISH</u>	<u>BACKSET</u>	<u>THICKNESS</u>	<u>SIZE</u>
MAG-2001	ABV, PBV, SV	2-3/8"	1-3/8"	4" x 9"
MAG-2002	ABV, PBV, SV	2-3/8"	1-3/4"	4" x 9"
MAG-2003	ABV, PBV	2-3/4"	1-3/8"	4-1/4" x 9"
MAG-2004	ABV, PBV, SV	2-3/4"	1-3/4"	4-1/4" x 9"

- FOR DEADBOLT WITH 2-1/8" BORE.




<u>STOCK NO.</u>	<u>FINISH</u>	<u>BACKSET</u>	<u>THICKNESS</u>	<u>SIZE</u>
MAG-2061	ABV, SV	2-3/8"	1-3/4"	4" x 4-1/2"
MAG-2081	ABV, PBV, SV	2-3/4"	1-3/4"	4-1/4" x 4-1/2"

SPECIFY FINISH: PBV-Polished Brass, ABV-Antique Brass, SV-Satin Stainless Steel

DESIGNER SERIES DOOR REINFORCER— VISUAL PACK



- TRADITIONAL — FOR ALL LOCKS WITH 2-1/8" BORE.




<u>STOCK NO.</u>	<u>FINISH</u>	<u>BACKSET</u>	<u>THICKNESS</u>	<u>SIZE</u>
MAG-2066	PBV	2-3/8"	1-3/4"	4" x 6"
MAG-2068	PBV	2-3/4"	1-3/4"	4-1/4" x 6"

FINISH: PBV-Polished Brass


MODERNIZATION KITS

Kwikset



KW-214 CP US-3

Large Modernization Kit. 3-1/2" x 10-1/2". Includes: 2 large trim plates, latch & strike plate.




KW-215 CP US-3

Small Modernization Kit. 7-1/4" x 3-3/8". Includes: 2 small trim plates, (KW-249 below) latch & strike plate.

AMES

DEADBOLTS & KNOB LOCKS FIRMLY ANCHORED IN HOLLOW METAL DOORS USING THE AMES DOOR & LOCK SUPPORTS



Stock No. Description

ADLS For 1-3/4" doors

BOLT CONE holds and centers deadbolt or latch bolt — eliminates bolt wobble and loose or broken faceplates screws.

LOCK SUPPORT serves as dust cover to maintain clean, free working lock.

BOLT CONE & PERIMETER LUGS support door when lock is securely tightened on door.

DEADBOLTS which can be used in 2-1/8" holes: Schlage B600 Series, Corbin/Russwin, Kwikset, Arrow, Sargent, Weslock, Schlage 400 Series, and Master with mounting plates.

FACE PLATE BRACKET installed by locksmith. Not used with drive-in bolt.

SIMPLE INSTALLATION. Fold & insert into 2-1/8" hole. PATIENT applied for.

MODERNIZATION KITS

FILLER PLATES

DON-JO



DJ-EF160
DJ-EF161
DJ-EF161 S



DJ-EF634



DJ-HF45
DJ-SHF45



DJ-EF86
Steel




DJ-CV2414



DJ-CV86

<u>Stock No.</u>	<u>Finish</u>	<u>Size</u>	<u>Description</u>
DJ-EF160	Prime Coated	2-1/4" x 1"	160 Cut Out
DJ-EF161	Prime Coated	2-1/4" x 1-1/8"	161 Cut Out
DJ-EF161 S	Prime Coated	2-3/4" x 1-1/8"	Schlage Cut Out
DJ-EF634	Prime Coated	6-3/4" x 1"	Flush Bolt
DJ-HF45	Prime Coated	4-1/2" x 1-3/4"	Door Hinge
DJ-SHF45	Prime Coated	4-1/2" x 1-1/2"	Door Hinge
DJ-EF86	Prime Coated	8" x 1-1/4" x 3/16"	86 Cut Out
DJ-CV86	Prime Coated	8" x 1-1/4"	Convert 86 Cut Out to 161
DJ-CV2414 SL	Silver Coated	4-1/4" x 1-1/4"	Convert Sargent Integra Locks




DJ-FS260 PC
A.S.A. Cut Out



DJ-FF45
DJ-FF50



DJ-BTS160 PC




DJ-HS060
DJ-HS090



DJ-ST386 PC
Aluminum

Use with pair of 86 cut out doors. Apply ANSI strike over. Reversible.

<u>Stock No.</u>	<u>Finish</u>	<u>Size</u>	<u>Description</u>
DJ-FS260 PC	Prime Coated	4-7/8" X 1-1/4"	Strike Filler for ANSI Cut out
DJ-FF45	Prime Coated	4-1/2" x 1-5/8"	Frame Filler
DJ-FF50	Prime Coated	5" x 1-5/8"	Frame Filler
DJ-HS090	Prime Coated	13 gauge	4-1/2" shims- .090
DJ-HS060	Prime Coated	16 gauge	4-1/2" shims- .060
DJ-BTS160 PC	Prime Coated	2-3/4" x 1-3/8"	T-Strike for 160 Cut Out
DJ-ST386 PC	Prime Coated	8" x 1-1/4"	Special Strike For 86 Cut Out




DJ-CP258
2-5/8" cylinder plate

<u>Stock No.</u>	<u>Finish</u>	<u>Description</u>
DJ-CP258 PC	Prime Coated	Cylinder plate covers up to 2-1/8" hole. Can be used with rim or mortise cylinder. The indents at 3 and 9 o'clock prevent the collar from shifting on wood or metal.
DJ-CP258 SL	Silver Coated	
DJ-CP258 BP	Brass Plated	


MODERNIZATION KITS

FILLER PLATES

DON-JO



DJ-BF161
Covers up to
2-1/8" hole



DJ-BF178
Covers up to
1-1/2" hole

Stock No.
DJ-PDF161

Finish
PC

Description

Covers up to 2-1/8" hole. Fits under standard rim panic device.

DJ-AR335 605, 613, 630

DJ-BF135 BP, PC, SL

DJ-BF178 BP, PC, SL


DJ-BF161 BP, PC, SL

2-3/8" Diameter Hole Filler


3-3/4" Diameter Hole Filler

1-7/8" Diameter Hole Filler


2-3/8" Diameter Hole Filler




DJ-AR335
Allows for use of levers on 1-3/8" doors. Diameter: 3-1/2".



DJ-BF135
Covers up to 3-3/4" hole



DJ-PDF161
Covers up to 2-1/8" hole under rim panic device



3-1/2" O.D.

Stock No. **Finish**
DJ-SP135 605, 609, 630


Scar plate used to convert 2-3/8" to 2-3/4" backset. Fits under rose of key-in-knob or deadbolt locks.

BP Brass Plated
PC Prime Coated
SL Silver Coated
605 Polished Brass
609 Antique Brass
630 Stainless Steel

FILLER PLATES

FILLER PLATE KITS


Combinations of the most popular filler plates packaged together in display packs for easy handling



For Gov't 161 cut-out

DJ-FPK161 PC Prime Coat plastic bag contains:

- 1ea DJ-BF161 Round hole filler
- 1ea DJ-EF161 2-1/4" x 1-1/8" edge filler
- 1ea DJ-FS260 PC 4-7/8" strike filler




For Gov't 86 cut-out

DJ-FPK86 PC Prime Coat plastic bag contains:


- 1ea DJ-EF86 8" x 1-1/4" edge filler
- 1ea DJ-FS260 PC 4-7/8" strike filler

MODERNIZATION KITS




MAG-8860-B Brass
MAG-8860-C Chrome
ADAPTER PLATES
2-5/8" O.D. DIA.

For Rim or Mortise Cylinders.
Covers up to 2-1/8" Dia. Hole
1-1/4" Inside Dia.



MAG-8863-B Brass
MAG-8863-C Chrome
ADAPTER PLATES
2-3/4" O.D. DIA.

For Installing Schlage
Deadbolts
with 1-1/2" Bore in a 2-1/2"
Bore



MAG-8865-AB Ant. Brass
MAG-8865-B Brass
MAG-8865-C Chrome
COVER PLATES
3-1/2" O.D. DIA.

For 2-1/8" Bore Locks, 2 per
card. Covers Damaged Door.
Changes 2-3/8" to 2-3/4"
Backset, and 2-3/4" to 2-3/8"
Backset.




MAG-8868-B Brass
MAG-8868-C Chrome
MAG-8868-PC Prime Coat
HOLE COVER
2-5/8" O.D. DIA.

Covers 1/2" to 2-1/8" holes. Self-
centering Disk Prevents
Movement of Plate.



MAG-8870-PC Prime Coat
HOLE COVER
FOR 2-1/8" HOLE
Under Rim Panic Hardware




MAG-8885-PC Prime Coat
FILLER PLATE KIT

Contains 1 each of the following:
MAG-8868-PC Hole cover for 1/2" to 2-1/8"
MAG-8873-PC Filler plate 1-1/8" x 2-1/4"
MAG-8880-PC ASA strike filler plate



MAG-8873



MAG-8878



MAG-8875



MAG-8880



<u>Stock No.</u>	<u>Finish</u>	<u>Size</u>	<u>Description</u>
MAG-8873-PC	Prime Coated	1-1/8" x 2-1/4"	For 161 cut out
MAG-8875-PC	Prime Coated	1-1/4" x 8"	86 Mortise lock face cut out
MAG-8878-PC	Prime Coated	1-1/8" x 2-3/4"	T strike
MAG-8880-PC	Prime Coated	1-1/4" x 4-7/8"	ANSI strike

Filler Plate Kit for 86 Cut Out - 1 of each: 8875 & 8880

<u>Stock No.</u>	<u>Finish</u>	<u>Size</u>	<u>Description</u>
MAG-8883-PC	Prime Coated	1-1/4" x 8"	86 Mortise lock face cut out
		1-1/4" x 4-7/8"	ANSI strike filler plate