


# MISCELLANEOUS PARTS




**AR-4580**  
Cam disc, reversible

**ADAMS  
RITE**



**28-0064-02** Right Hand  
**28-0064-03** Left Hand  
Replacement spring for 4160 handle.



**31-0485 (HY485)**  
Spindle for 4160 handle.

**TWIN/6000 SERIES  
TWIN EXCLUSIVE SERIES**

**ASSA**



AS-867445 AS-867446 AS-867447 AS-867452 AS-867453 AS-872610


**Pins and Springs**

- AS-867065** Cylinder spring
- AS-867066** Top pin 1-2
- AS-867067** Top pin 3-4
- AS-867068** Top pin 5-6
- AS-867069** Top pin 7-8-9
- AS-867070** Master Pin 1
- AS-867071** Master Pin 2
- AS-867072** Master Pin 3
- AS-867073** Master Pin 4
- AS-867074** Master Pin 5
- AS-867075** Master Pin 6
- AS-867076** Master Pin 7
- AS-867077** Master Pin 8
- AS-867078** Bottom pin 1
- AS-867079** Bottom pin 2
- AS-867080** Bottom pin 3
- AS-867081** Bottom pin 4
- AS-867082** Bottom pin 5
- AS-867083** Bottom pin 6
- AS-867084** Bottom pin 7
- AS-867085** Bottom pin 8
- AS-867086** Bottom pin 9
- AS-867015** Side pin (Twin)
- AS-353837** Right Hand Side Pin (V-10)
- AS-353838** Left Hand Side Pin (V-10)
- AS-867087** Side pin spring (Twin)
- AS-867088** Side bar spring (Twin)
- AS-868141** Pin chamber closing strip-  
for Mort, Rim, KIK

\$-Discontinued. Call for  
closeout prices.

**Cams & Tailpieces**

- AS-867445** #1 Adams Rite Cam
- AS-867446** #3 Corbin Clover Leaf Cam
- AS-867447** #4 Corbin Bever Tail Cam
- AS-867452** #2 Sargent Cam
- AS-867453** #6 Schlage "L" Cam
- AS-867450** Horizontal & Vertical Rim Tailpiece Kit
- AS-872610** #5 Yale/Standard Cam



**Screws**

- \$AS-867090** Phillips Screw For Cam
- AS-868138** Slotted Screw For Rim Tailpiece
- AS-900209** Kit, includes plate and 2 screws

**INTERCHANGEABLE CORE PARTS**



**AR-001**



**AR-AM2**



**AR-004**

N Series, Exit  
Devices, Alarms



**AR-006**

Schlage



**AR-18**

Adams Rite

**MORTISE HOUSING PARTS**

- | <u>Stock No.</u>      | <u>Description</u>       |
|-----------------------|--------------------------|
| <b>AR-3-48 X 3/16</b> | Cam Set Screw            |
| <b>AR-C16CR-122</b>   | Washer                   |
| <b>AR-C16CR-121A</b>  | Adaptor Assembly - 7 pin |

**Deadbolt Parts**

- \$AS-806268\*** Spacer ring for 1-3/8" thick door
  - \$AS-806269\*** Adaptor ring for 2-/8" dia. hole
- \*Specify Finish: 605, 609, 624, 626

©ZIPF LOCK COMPANY


# MISCELLANEOUS PARTS

## MISCELLANEOUS PARTS

# Kwikset

### SPINDLES

*Limited Availability  
Discontinued by factory*



- KW-4738** 640 Series Spindle Assembly
- KW-5333** 400, 410 Spindle Assembly
- KW-5334** 401, 404, 411, 414, 451 Spindle Assembly
- KW-5344** 300 Spindle Assembly


### SCREWS

*Limited Availability - Discontinued by factory*


- KW-2715** 665 One Way Interior Screw (Old Style)
- KW-2761** 660 Regular Interior Screw (Old Style)
- KW-3224** 885 One Way Oval Head Screw
- KW-3225** 885 Regular Interior Screw
- KW-4424** 880/885 Mounting Studs
- KW-6070** 660/870 Regular Interior Screw (New Style)
- KW-6071** 665/875 Regular Interior Screw (New Style)
- KW-6118** 665/875 One Way Oval Head Screw

### THICK DOOR KITS

- KW-81248** 980/982 Deadbolts
  - KW-81249** 985/984 Deadbolts
  - KW-81691** 780/970/880 Deadbolts
  - KW-84221** 785/975/885 Deadbolts
  - KW-86129** 660/870 Deadbolts
  - KW-86130** 665/875 Deadbolts
  - KW-81714** Ultramax Knobsets (720, 740)
  - KW-81706** Maximum Knobsets (100, 200, 400, 401)
  - KW-81706** Maximum Levers
  - KW-81706** Security Knobsets (100, 200, 400, 401)
- Stock US-3 finish on above parts.




**KW-84215**  
Plug Clip (Deadbolt)



**KW-84345**  
Plug Clip (Lockset)




**KW-81892**  
For installing dummies on hollow core doors.  
US-3, 5, 15, 15A, 26, 26D



**KW-85757** 5 Pin  
**KW-83561** 6 Pin  
Tumbler Pin Cover

### TORQUE BLADES FOR: 630/660/780/880



- KW-84991** Std. Door 630/660/780/880 Torque Blade—1-3/8" - 1-3/4"
- KW-84992** Thick Door 630/660/780/880 Torque Blade—1-7/8" - 2-1/4"
- KW-84987** Std. Door 635/665/785/885 Torque Blade Exterior—1-3/8" - 1-3/4"
- KW-84993** Std. Door 635/665/780/885 Torque Blade Interior—1-3/8" - 1-3/4"
- KW-84988** Thick Door 635/665/785/885 Torque Blade Exterior—1-7/8" - 2-1/4"
- KW-84994** Thick Door 635/665/785/885 Torque Blade Interior—1-7/8" - 2-1/4"

### 664 CONVERSION KIT

**KW-664 US-3, 5, 26D** For converting Kwikset 663 (one sided deadbolt) to a 667 (one sided w/exterior plate). Kit includes: Blank plate, screws and torque blade.

### PIN AND SPRING REFILLS FOR KWIKSET:

<u>Descriptions</u>	<u>*Stock #</u>	<u>Descriptions</u>	<u>*Stock #</u>
Tumbler Springs	<b>LB-KW1777</b>	.264 Bottom Pin-#5	<b>LB-KW3106</b>
PK Balls	<b>KW-82208</b>	.287 Bottom Pin-#6	<b>LB-KW3107</b>
.180 Driver Pin (Top)	<b>LB-KW1858</b>	.023 Master Pin-#1	<b>LB-KW3108</b>
.180 Regular Anti-pick Pin (Top)	<b>KW-80370</b>	.046 Master Pin-#2	<b>LB-KW3110</b>
.160 PK Pin (Top)	<b>KW-83117</b>	.069 Master Pin-#3	<b>LB-KW3112</b>
.160 PK Anti-pick Pin (Top)	<b>KW-80369</b>	.092 Master Pin-#4	<b>LB-KW3113</b>
.172 Bottom Pin-#1	<b>LB-KW3100</b>	.115 Master Pin-#5	<b>LB-KW3114</b>
.195 Bottom Pin-#2	<b>LB-KW3101</b>	.138 Master Pin-#6	<b>LB-KW3125</b>
.218 Bottom Pin-#3	<b>LB-KW3103</b>		
.241 Bottom Pin-#4	<b>LB-KW3105</b>		

\*LB- made by LAB.

# MISCELLANEOUS PARTS

## PRIMUS MISCELLANEOUS PARTS



### Cylinder Bars & Drivers

### Stock No.

(Must use Primus driver, cap pin location at 2 o'clock rather than 10 o'clock.)

#### A & H-Series Knobs - Everest & Primus

Bar & Driver, Standard **SP-A301-337\***

Bar & Driver, ORB (Except A73) **SP-A301-338**

\*Requires use of disc C603-098

#### AL-Series Levers

Bar & Driver, Standard (Except AL85) **SC-A700-031**

#### BC100 Series Deadbolts - 6 Pin

Driver (Everest & Primus) **SP-B502-949**

Tailpiece, BC160 **SC-B202-557**

Tailpiece, BC162 **SC-B202-269**

#### B660 Series Deadbolts - 6 Pin - Everest & Primus

B660/663 (1-3/8" to 2-1/2") **SP-B610-084**

B662 (1-3/8 to 2") **SP-B610-085**

#### D-Series (Not D85)

Bar & Driver, Knobs, Standard **SC-C603-524**

### Cylinder Bars & Drivers

### Stock No.

#### D-Series (Not D85) cont'd

Bar & Driver, Knobs (2" to 2-1/2") **SP-A301-337\***

Bar & Driver, Levers **SC-C604-243**

Bar & Driver, "ND" Levers **SP-N523-022**

Full Size I/C core driver & retainer **SC-04-033**

\* Requires use of disc C603-098

#### Rim Cylinder

Driver, Standard (non-IC) **SC-B502-310**

Tailpiece, standard (non-IC) **SC-B502-899**

#### Miscellaneous Primus

### Stock No.

Finger Pin Kit(finger pins, springs,40-066) **SP-40-070**

Key Gage **SC-40-104**

Key Order Form **SP-MS-E110**

Facesheet **SP-MS-E120**













Signature Card **SP-MS-E130**

ID Control Register **SP-MS-E160**

## SPECIAL CAMS

*Note-Cams pictured smaller than actual size.*

### SPECIAL CAMS FOR SCHLAGE MORTISE CYLINDERS TO OPERATE OTHER MANUFACTURERS' LOCKS

	Classic Conventional 20-001	Interchangeable Core 20-061, 20-771, 26-090 80-102, 80-132, 80-302	Everest & Primus 20-001 Everest 20-500 & 20-700 Primus
<b>Corbin/Ruswin®</b> DL4000 Series. (Old Corbin 420 & Ruswin 1503)	<b>SC-B520-295</b> 	<b>SC-B520-254</b> 	<b>SP-B520-366</b> 
<b>Corbin/Ruswin®</b> ML2200 Series. All functions except ML2255 & ML2242 inside.	<b>SC-B520-233</b> 	<b>SC-B520-253</b> 	<b>SP-B520-309</b> 
<b>Corbin/Ruswin® A65</b> ML2200 master ring deadbolt functions manufactured before 6/10/93 <b>Ruswin</b> Old cast iron residential locks	<b>SC-B520-223</b> 	<b>SC-B520-360</b> 	<b>SP-B520-367</b> 
<b>Sargent®</b> 13-0660. All functions except 16 inside and 50 outside. <b>Yale®</b> -2160 <b>Arrow®</b> -#004	<b>SC-B520-256</b> 	<b>SC-B520-296</b> 	<b>SP-B520-329</b> 

©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS

## SPECIAL CAMS



*Cams pictured smaller than actual size.*

### CAMS FOR COMPETITORS' CYLINDERS IN SCHLAGE LOCKS



**SC-L583-197**  
For: Sargent and Yale non-IC



**SC-L583-198**  
For: Corbin/Russwin non-IC

## STANDARD & I/C CAMS

*Cams pictured smaller than actual size.*



**SC-B502-191**



**SC-B502-292**



**SC-B502-380**



**SC-L583-254**



**SC-B520-378**



**SC-L583-255**



**SC-K510-711**



**SC-K510-730**

### MORTISE CYLINDER CAMS/PARTS

<u>Stock No.</u>	<u>Description (Most Pictured above)</u>
<b>SC-B502-468</b>	Mortise Cylinder Classic conventional cam screw up to 1-3/8".
<b>SC-B502-191</b>	Mortise Cylinder-Classic conventional standard cam.
<b>SC-B502-292</b>	Mortise Cylinder-Classic conventional cam for Adams Rite MS
<b>SC-B502-380</b>	Mortise Cylinder-Classic conventional cam for Adams Rite 4070 series.
<b>SC-L583-254</b>	Mortise Cylinder-L Series classic conventional cam.
<b>SC-K510-474</b>	Friction washer for Full Size Interchangeable core Mortise housing.
<b>SC-B520-378</b>	SFIC & Full Size Interchangeable Core cam for Adams Rite 4070 series.
<b>SC-L583-255</b>	Mortise Cylinder-L Series SFIC & Full Size Interchangeable Core cam (except L9060 outside).
<b>SC-K510-711</b>	Mortise Cylinder-SFIC & Full Size Interchangeable Core cam for Adams Rite MS..
<b>SC-K510-730</b>	Mortise Cylinder-Straight Cam for SFIC & Full Size Interchangeable core.

## PRIMUS CAMS

*Cams pictured smaller than actual size.*

<u>Stock No.</u>	<u>Description</u>
<b>SP-B502-942</b>	Cam Screw
<b>SP-B502-944</b>	A/R MS Series Cam
<b>SP-B502-945</b>	A/R 4070 Series Cam
<b>SP-B502-948</b>	Standard Mortise Cam
<b>SP-L583-153</b>	L Series Cam
<b>SP-B520-329</b>	Arrow 004, Yale 2160
<b>SP-B520-309</b>	Corbin Russwin ML2200 (not 2255/2242)
<b>SP-B520-366</b>	Corbin Russwin DL4000 Series
<b>SP-B520-367</b>	Corbin Russwin A65 (pre1993)
<b>SP-B520-329</b>	Sargent 13-0660 (not 16/in or 50/out)



**SP-B502-944**



**SP-B502-945**



**SP-B502-948**



**SP-L583-153**



**SP-B520-329**



**SP-B520-309**



**SP-B520-366**



**SP-B520-367**

©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS

## MISCELLANEOUS PARTS




SC-C503-347



LB-SC-C503-115



LB-SC-C503-116



SC-B202-370



SC-B520-375



SC-B502-310



SC-C503-346



SC-B202-369



SC-B202-453



SC-B502-899



SC-C503-118



SC-B202-269  
SC-B220-032 1"  
SC-B220-036\*

\*See chart.



SC-B202-557 1-27/32"  
SC-B202-558 2"



SC-A508-614 (sold as a set)  
for ORB, COM, PLA designs



SC-A508-606 (sold as a set)  
for other designs

## BAR AND/OR DRIVER

Stock No.	Description (Pictured above)
SC-A508-606	A, H Series classic conventional 6-pin (not ORB).
SC-A508-614	A Series ORB classic conventional 6-pin (not A73 or A85).
SC-A700-031	AL Series-except hotel function: Bar and driver-not pictured.
SC-B202-269	BC162; B162: 5-pin 1-5/16" to 1-5/8" door; B252/B462: 6-pin 1-3/8", 2-1/4", 2-1/2" door.
SC-B202-369	B252/B462: 6-pin 1-5/8", 1-3/4", 3" door std bar.
SC-B202-370	B252/B462: 5-pin 1-3/8" door std, 6-pin 1-1/2", 2", 2-3/4" door.
SC-B202-453	B252/B462: 5-pin 2-1/2" door.
SC-B202-557	B160: 5-pin 1-3/8" to 1-3/4" door; 6-pin 1-5/8" to 1-3/4" door.
SC-B202-558	B160: 5 or 6-pin 1-13/16" to 2-1/4" door; B250/B460: 5 or 6-pin 1-3/8" to 2-3/4" door std bar; B560: 1-5/8" to 2-1/8" door; F160N; H110/H153 upper cylinder.
SC-B220-032	B162: 5-pin over 1-5/8" to 1-13/16" door, 6-pin over 1-11/16" to 2" door.
SC-B220-036	B162: 6-pin over 2" to 2-1/4" door; F162N.
SC-B520-375	BC100: Driver, classic conventional.
SC-B610-044	B660, B663 driver bar(s) and retainer. 1-3/8" to 2-1/2" doors-not pictured.
SC-B610-045	B662 driver bar(s) and retainer. 1-3/8" to 2" doors-not pictured.
SC-B610-046	B662 driver bar(s) and retainer. Greater than 2" to 2-1/2" doors-not pictured.
SC-C503-346	Spacer for 20-033, 20-066, 20-067, 20-069.
SC-C603-524	D Series: Bar and driver for ATH, RHO and SPA cylinder (23-013)-not pictured.
SC-C604-243	D Series: Bar and driver for knob cylinder (23-001)-not pictured.
SC-F206-437	Thick door kit for F/FA single cylinder handlesets, 2" to 2-1/2". Specify finish: 605, 609, 613, 619, 626.
SC-N523-023	ND Series: Bar and driver for lever cylinder (23-065)-not pictured.
SC-S605-192	S Series: Cylinder sleeve-not pictured.
SC-S605-228	S Series: Driver-not pictured.
SC-XB11-990	BC160P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-101 and 1 ea. B502-999). <b>Specify finish: 605, 626</b>
SC-XB11-991	BC162P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-056 and 2 ea. B220-036). <b>Specify finish: 605, 626</b>

## RIM CYLINDER BAR

Stock No.	Description (Pictured above)
SC-B502-899	Rim Cylinder: Bar #1 for 20-021, Bar #2 for 20-002.


©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS


## MISCELLANEOUS PARTS




**SC-01-060**  
605, 626  
Inside plunger unit for A53 (not ORB design)



**SC-A501-615**  
To convert entrance to vestibule function (A, AL, H)




**SC-B202-671**  
605, 609, 626  
Rose and turn, no hold back for B250.



**SC-37-001 138** For 1-3/8" thick doors  
**SC-37-001 134** For 1-3/4" thick doors  
A, AL and D Series Reinforcement Kit. For when installing locks in non-reinforced hollow metal or metal clad doors.




**SC-A501-878**  
Faceplate adaptor to adapt 1" faceplate to 1-1/8" door preparation.




**SC-A700-015**  
AL lever insert before May 2002  
**SC-A700-044** (Special order)  
AL lever insert after May 2002




**SC-A501-311**  
Slide spring for AL Series locks.




**SC-40-017**  
Lever Castle Nut Wrench



**SC-40-080**  
Thru-bolt Jig



**\$SC-38-075**  
Retrofit Spring Cage Kit  
(Discontinued by Factory)



**SC-L283-040**  
L Spring Cage

## SCREW PACKS

Stock No.	Description
<b>SC-B220-050</b>	Adams Rite screw pack for Schlage mortise cylinders.
<b>SC-B610-050</b>	Standard screw pack (2 each) for B660, 661, 663, P&R. 1-3/8" to 2" doors
<b>SC-B610-051</b>	Standard screw pack (2 each) for B660, 661, 663, P&R. Over 2" to 2-1/2" doors
<b>SC-B610-053</b>	Standard screw pack (2 each) for B662P. 1-3/8" to 2" doors
<b>SC-B610-055</b>	Standard screw pack (2 each) for B662P. Over 2" to 2-1/2" doors

## MISCELLANEOUS PARTS (pictured above)

Stock No.	Description
<b>SC-A700-015</b>	AL Series lever insert, 1-3/8" to 1-7/8" doors. (pictured above)
<b>SC-C604-330</b>	D Series lever insert. (pictured above)
<b>SC-B520-322</b>	MD, ME Series. Faceplate for latches. <b>Specify finish: 605 or 626. Discontinued by factory.</b>
<b>\$SC-38-075</b>	Retrofit Spring Cage Kit. Spring cages and roses to convert D-Series lever locks manufactured before 1994. Consist of 1 ea. C303-035, C303-036, C303-438 and 2 ea 04-060. <b>Specify finish: 605, 613, 626.</b> (pictured above) <b>Discontinued by factory. Call for closeout prices.</b>
<b>SC-40-017</b>	AL and D-Series Lever castle nut wrench (metal). (pictured above)
<b>SC-40-080</b>	AL and D-Series lever thru-bolt jig. (pictured above)
<b>SC-L283-040</b>	Spring cage for L Series (1 required per lever). (pictured above)
<b>SC-L283-060</b>	Spindle and spring for L Series for 1-3/8" - 1-7/8" doors (2 required per lock). <b>Not Pictured.</b>

# MISCELLANEOUS PARTS



## Primus Pins and Springs

#1 Finger Pin	<b>Stock No.</b> SP-34-001
#2 Finger Pin	SP-34-002
#3 Finger Pin	SP-34-003
#4 Finger Pin	SP-34-004
#6 Finger Pin	SP-34-006
Finger Pin Spring	SP-C603-951
Everest Check Pin Spring	SP-C603-951
Sidebar Spring	SP-C603-952
Sidebar	SP-C603-950

Top, Master & Bottom pins can be used on Primus & Everest Primus "Controlled Access" and Schlage Standard & Everest Cylinders.

## Regular & Primus Pins and Springs

		<u>*LAB Stock No.</u>
#1 Top Pin	34-101	LB-SC-34-101
#2 Top Pin	34-102	LB-SC-34-102
#3 Top Pin	34-103	LB-SC-34-103
#2 Master Pin	34-202	LB-SC-34-202
#3 Master Pin	34-203	LB-SC-34-203
#4 Master Pin	34-204	LB-SC-34-204
#5 Master Pin	34-205	LB-SC-34-205
#6 Master Pin	34-206	LB-SC-34-206
#7 Master Pin	34-207	LB-SC-34-207
#8 Master Pin	34-208	LB-SC-34-208
#9 Master Pin	34-209	LB-SC-34-209
#0 Bottom Pin	34-300	LB-SC-34-300
#1 Bottom Pin	34-301	LB-SC-34-301
#2 Bottom Pin	34-302	LB-SC-34-302
#3 Bottom Pin	34-303	LB-SC-34-303
#4 Bottom Pin	34-304	LB-SC-34-304
#5 Bottom Pin	34-305	LB-SC-34-305
#6 Bottom Pin	34-306	LB-SC-34-306
#7 Bottom Pin	34-307	LB-SC-34-307
#8 Bottom Pin	34-308	LB-SC-34-308
#9 Bottom Pin	34-309	LB-SC-34-309

\*LAB "Original Pins for Schlage". Sold in plastic Vials.

## F Series Compressible Cylinder


Top T-Pin	<b>Stock No.</b> SC-F506-451
Removable Cap	SC-F506-452
T-Pin Top Spring	SC-F506-453

## Pins and Springs

Pin Tumbler Spring	<b>Stock No.</b> LB-SPR-115L
Cap Retainer Pin Spring	LB-SC-C503-115
SFIC 20S Tumbler Spring	SC-C504-114
Full Size I/C Control Bottom Pin	SC-C603-967
Retainer Cap Pin	LB-SC-C503-116
Retainer Cap	SC-C503-118



**IL-862-00-10 (2CR)**  
Minimum of 10



**IL-862A-00-10 (2CE)**  
Minimum of 10



**YA-1145**  
Minimum of 5



**YA-1151**  
.220-24  
Rim Lock Screws




**YA-1151A**  
.220-24  
Rim Lock Screws

**Can't find a part you  
need ?  
Please give us a  
call  
1-800-848-1577**


# MISCELLANEOUS PARTS



## SIMPLEX 900 SERIES LOCK PARTS



**SI-74080-000-01 (852)**  
M-55 combination chamber for all locks  
(7/8" x 15/16" x 3-7/8")



**SI-74167-1-000-01** For Deadlock  
**SI-74163-1-000-01** For Night Latch  
Gear plate assembly for key bypass models.




**SI-74471-04-01** Brass  
**SI-74471-26D-01** Chrome  
Inside operating knob assembly, including attaching hardware for all door locks.




**SI-74470-04-01** Brass  
**SI-74470-26D-01** Chrome  
Outside operating knob assembly, including attaching hardware for all door locks.



**SI-34011-04-01** Brass  
**SI-34011-26D-01** Chrome  
Latch bolt for night latch (NL) locks.



**SI-74124-1-04-01** 1-3/8" locks-Brass  
**SI-74124-1-26D-01** 1-3/8" locks-Chrome  
**SI-74125-1-04-01** 1-3/4" locks-Brass  
**SI-74125-1-26D-01** 1-3/4" locks-Chrome  
Center plate and barrel assembly with five black nylon buttons in a circle.




**SI-74468-04-01** Brass  
Riser plate for 1-3/8" lock, to shim lock housings 1/4" or 3/8".



**SI-54133-04-01** Brass (Limited Supply)  
**SI-54133-26D-01** Chrome (Limited Supply)  
Special tamper-proof combination change access screw.



**SI-805-26D-41** Chrome  
**Face Plate Shield**—Prevents observation of pushbutton operations and maintains secrecy of the combination. For use with Models DL and NL. NOT for use with key bypass models.




**SI-74437-26D-01** Chrome (Limited Supply)  
**Inside Lever Handle**—This accessory permits unlocking the Simplex latch model and pulling the door open with one hand. Existing locks can be converted by simply removing standard finger operated lever and installing the 2-1/2" lever handle.

## SIMPLEX 1000 SERIES LOCK PARTS



**SI-201019-000-01**  
Knob return spring for SI-1000 Series.



**SI-74366-000-01** (Old #201429-000-01)  
M-56/M-63 combination chamber for 1000, L1000, 3000, 8100 Series.




**SI-204168-26D-01** Satin Chrome  
1/2" floating front throw latch, 2-3/4" backset. For 1000 and L1000 series.

## SIMPLEX 1000 SERIES SERVICE KITS

More kits next page

**If you handle the 1000 Series Pushbutton locks then these Service Kits are a must!! These kits are packaged with all the parts usually required to recondition or refurbish these locks**

### 1000 Series Service Kit



**Stock No.**  
**SI-203035-000-01**

**Includes:**

- Combination Chamber
- Clutch Assembly
- Chamber Shaft Bearing
- Stop Plate
- Knob Return Spring
- Key Override Drive Shaft
- Standard Drive Shaft
- Key Override Drive Shaft 1-3/8"
- Standard Drive Shaft 1-3/8"


# MISCELLANEOUS PARTS

## SIMPLEX 1000 SERIES SERVICE KITS (con't)



If you handle the 1000 Series Pushbutton locks then these Service Kits are a must!! These kits are packaged with all the parts usually required to recondition or refurbish these locks


### L1000 Series Service Kit



Stock No	Hand
SI-203037-000-01	Right Hand
SI-203038-000-01	Left Hand

**Includes:**  
 Combination Chamber  
 Clutch Assembly  
 Chamber Shaft Bearing  
 Stop Plate  
 Extension Spring  
 Fixed Sleeve  
 Drive Shaft (key override)  
 Drive Shaft (no key override)  
 Drive Shaft 1-3/8"(key override)  
 Drive Shaft 1-3/8" (no key override)

### LP1000 Series Service Kit



Stock No	Hand
SI-203039-000-01	Right Hand
SI-203040-000-01	Left Hand

**Includes:**  
 Combination Chamber  
 Clutch Assembly  
 Chamber Shaft Bushing  
 Stop Plate  
 Tailpiece Assembly  
 Extension Spring  
 Key Override Shaft (Best)  
 Key Override Shaft (all others)

**Discontinued. Call for closeout prices.**

## MISCELLANEOUS

—FINISHES—

### Ives:

<b>US-3</b>	Bright Brass, clear coated
<b>US-4</b>	Satin Brass, clear coated
<b>US-5</b>	Antique Brass, clear coated
<b>US-10B</b>	Oil Rubbed Bronze
<b>US-15</b>	Satin Nickel, clear coated
<b>US-15A</b>	Antique Nickel, clear coated
<b>US-26</b>	Bright Chrome
<b>US-26D</b>	Satin Chrome
<b>US-27</b>	Satin Aluminum, clear anodized alum.
<b>US-28</b>	Satin Aluminum, clear anodized.
<b>US-32D</b>	Satin Stainless Steel
<b>2C</b>	Zinc Plated
<b>3AL</b>	Plated Bright Brass, clear coated
<b>14</b>	Bright Nickel Plated, clear coated
<b>92</b>	Aluminum clear coated
<b>W</b>	White Epoxy Coated

### Cal Royal:

<b>US-3</b>	Bright Brass
<b>US-4</b>	Satin Brass
<b>US-5</b>	Antique Brass
<b>US-10</b>	Satin Bronze
<b>US-10B</b>	Oil Rubbed Bronze
<b>US-15</b>	Satin Nickel
<b>US-15A</b>	Satin Nickel Oxidized
<b>US-26</b>	Bright Chrome
<b>US-26D</b>	Satin Chrome
<b>US-32D</b>	Satin Stainless Steel
<b>DURO</b>	Duronodic

### Don Jo:

<b>605</b>	Bright Brass
<b>609</b>	Antique Brass
<b>613</b>	Oil Rubbed Bronze
<b>619</b>	Satin Nickel
<b>620</b>	Antique Nickel
<b>625</b>	Bright Chrome
<b>626</b>	Satin Chrome
<b>630</b>	Satin Stainless Steel
<b>AL</b>	Sprayed Aluminum
<b>BP</b>	Brass Plated